



RAILWAY HANDBOOK 2013



ENERGY CONSUMPTION AND CO₂ EMISSIONS

FOCUS ON ENERGY MIX

Railway Handbook 2013
Energy Consumption
and CO₂ Emissions
- Focus on Energy Mix -

INTERNATIONAL ENERGY AGENCY

The International Energy Agency (IEA), an autonomous agency, was established in November 1974. Its primary mandate was – and is – two-fold: to promote energy security amongst its member countries through collective response to physical disruptions in oil supply, and provide authoritative research and analysis on ways to ensure reliable, affordable and clean energy for its 28 member countries and beyond. The IEA carries out a comprehensive programme of energy co-operation among its member countries, each of which is obliged to hold oil stocks equivalent to 90 days of its net imports. The Agency's aims include the following objectives:

- Secure member countries' access to reliable and ample supplies of all forms of energy; in particular, through maintaining effective emergency response capabilities in case of oil supply disruptions.
- Promote sustainable energy policies that spur economic growth and environmental protection in a global context – particularly in terms of reducing greenhouse-gas emissions that contribute to climate change.
 - Improve transparency of international markets through collection and analysis of energy data.
 - Support global collaboration on energy technology to secure future energy supplies and mitigate their environmental impact, including through improved energy efficiency and development and deployment of low-carbon technologies.
 - Find solutions to global energy challenges through engagement and dialogue with non-member countries, industry, international organisations and other stakeholders.

IEA member countries:

Australia
Austria
Belgium
Canada
Czech Republic
Denmark
Finland
France
Germany
Greece
Hungary
Ireland
Italy
Japan
Korea (Republic of)
Luxembourg
Netherlands
New Zealand
Norway
Poland
Portugal
Slovak Republic
Spain
Sweden
Switzerland
Turkey
United Kingdom
United States



International
Energy Agency

© OECD/IEA, 2013

International Energy Agency
9 rue de la Fédération
75739 Paris Cedex 15, France

www.iea.org

Please note that this publication is subject to specific restrictions that limit its use and distribution.

The terms and conditions are available online at <http://www.iea.org/termsandconditionsuseandcopyright/>

The European Commission also participates in the work of the IEA.



INTERNATIONAL UNION
OF RAILWAYS

UIC: the international professional association representing the railway sector

UIC, the international railway association which celebrates its 90th anniversary in 2012, counts 200 members across 5 continents (railway companies, infrastructure managers, rail-related transport operators, etc.). UIC's members represent 1 million kilometres of lines, 2,800 billion passenger-km, 9,500 billion tonne-km, and a workforce of 6.7 million people.

ACCORDING TO THE STATUTES, UIC'S MISSION FOCUSES MAINLY ON:

- Promoting rail transport around the world with the aim to meet current and future challenges of mobility and sustainable development.
- Promoting interoperability, creating new world standards for railways, including common standards with other transport modes.
- Developing and facilitating all forms of international cooperation among members, facilitating the sharing of best practices (benchmarking).
- Supporting members in their efforts to develop new business and new areas of activity.
- Proposing new ways to improve technical and environmental performance of rail transport, boosting competitiveness and reducing costs.



WWW.UIC.ORG



Foreword

The International Energy Agency and the International Union of Railways are pleased to launch the second edition of the IEA/UIC data handbook on “Energy Consumption and CO₂ Emissions of World Railway Sector”.

The first edition was successful in providing valuable information on rail energy use and emissions to actors in the energy field and broader transport sector.

Expanding on the regional energy and emissions data presented in last year’s handbook, this second edition goes deeper into rail energy and emissions statistics and, for the first time, presents aggregate data on worldwide rail activity and energy use.

Since the last edition, rail and energy data has improved considerably as UIC and the IEA have worked closely together.

Though the reliability and quality of rail data can still be improved, we hope this annual publication will help railway operators to implement a more systematic data collection process. Assessing the efficiency of railway operations is a strategic move that will allow railways to evolve over time while keeping their environmental advantage for the coming decades.

Railways are at the core of electro-mobility, which will be a focus of the IEA’s Energy Technology Perspectives publication in 2014.

This edition of the “Energy Consumption and CO₂ Emissions of World Railway Sector” looks closely at railway electricity mixes in Europe as well as options to provide renewable electricity to railway operators.

Moving towards sustainable mobility requires both integrated and efficient transport systems as well as secure and clean energy. Modal shifts to rail can be a major driver for decarbonisation of the transport sector, and the set of data presented in this new edition illustrates this potential.

The IEA and UIC continue to work hand-in-hand to encourage policy makers and railway operators to move toward a sustainable and efficient energy future.

Maria van der Hoeven
International Energy Agency
Executive Director

Jean-Pierre Loubinoux
International Union of Railways
Director General





Acknowledgments

This publication has been made possible thanks to UIC railway members, who have contributed to UIC statistics on railway activity, energy consumption and CO₂ emissions since 2005, and to the IEA Statistics Department, which has collected and managed energy balances and CO₂ emissions data from fuel combustion.

The Handbook has been coordinated by François Cuenot, John Dulac (IEA) and Veronica Aneris (UIC).

A special mention goes to the cooperation of UIC and IEA staff, and in particular to Elodie Arlaud (IEA), Nicholas Craven, Andrea Braschi and Snejana Markovic-Chenais (UIC).

A special thanks to the Sustainable Development Foundation for its technical support, especially to Daniele Arena, Raimondo Orsini, Andrea Barbabella and Valeria Gentili.

Infographic design: Laboratorio Linfa
www.laboratoriolinfa.com

Printed on Revive Natural Offset, 100% Recycled Paper

Railway Handbook 2013



Energy Consumption and CO₂ Emissions



	Index of Figures	10
	Index of Tables	13
	Introduction	15
Part I: The Railway Sector Main data		17
	World	18
	Europe	31
	USA	41
	Japan	46
	Brazil	53
	Russian Federation	58
	India	64
	People's Republic of China	69
	South Africa	76
Part II: Focus on Energy Mix		81
	Energy Mix in Transport and Railways	82
	Electricity Mixes in EU27	85
	Comparison: Production/Consumption/Railway electricity mix in selected countries	92
	Inter - modal comparison of specific emissions: baseline 2010 and sectoral targets	98
	Methodology Notes	100
	Glossary	101
	References	103

Index of Figures

World

Fig. 1: Share of CO ₂ emissions from fuel combustion by sector, 2010	19
Fig. 2: Passenger and freight railway activity, 1975-2010	20
Fig. 3: Railway passenger transport activity, 1975-2010	20
Fig. 4: Railway passenger transport activity by geographic area, 1975-2010	21
Fig. 5: Railway passenger transport activity by geographic area, 1975-2010	21
Fig. 6: Railway freight transport activity, 1975-2010	22
Fig. 7: Railway freight transport activity by geographic area, 1975-2010	22
Fig. 8: Railway freight transport activity by geographic area, 1975-2010	23
Fig. 9: Length of railway lines in operation by geographic area & total passenger and freight train-km, 1975-2010	23
Fig. 10: Length and share of electrified versus non-electrified railway lines, 1975-2010	24
Fig. 11: Share of electrified railway lines in selected countries and geographic areas, 1975-2010	24
Fig. 12: High-speed lines in operation and forecasted, 1981-2020	25
Fig. 13: High-speed lines in operation by country, 1981-2012	25
Fig. 14: High-speed lines in operation by country and share of world total, 2012	26
Fig. 15: Evolution of paved roads and railway lines, 2000-2010	26
Fig. 16: Railway energy consumption by fuel, 1990-2010	27
Fig. 17: Railway specific energy consumption, 1975-2010	27
Fig. 18: Railway passenger specific energy consumption in selected countries, 1975-2010	28
Fig. 19: Railway freight specific energy consumption in selected countries, 1975-2010	28
Fig. 20: World electricity mix evolution, 2010 outside – 2005 inside	29
Fig. 21: Railway specific CO ₂ emissions, 1995-2010	29
Fig. 22: Railway passenger specific CO ₂ emissions in selected countries, 1995-2010	30
Fig. 23: Railway freight specific CO ₂ emissions in selected countries, 1995-2010	30
Fig. 24: Passenger and freight transport activity, 2000-2010	32
Fig. 25: Passenger transport activity by mode, 2000-2010	32
Fig. 26: Modal evolution of passenger traffic activity, 2000-2010	33
Fig. 27: Freight transport activity by mode, 2000-2010	33
Fig. 28: Modal evolution of freight traffic activity, 2000-2010	34
Fig. 29: Share of CO ₂ emissions from fuel combustion by sector, 2010	34
Fig. 30: Transport sector energy consumption by mode, 1990-2010	35
Fig. 31: Transport sector CO ₂ emissions by mode, 1990-2010	35
Fig. 32: Railway passenger transport activity, 2000-2010	36
Fig. 33: Railway passenger transport activity by service type, 2000-2010	36
Fig. 34: Railway freight transport activity, 2000-2010	37
Fig. 35: Length and share of electrified versus non-electrified railway lines, 1975-2010	37
Fig. 36: Evolution of paved roads and railway lines, 2000-2010	38

EU27

USA

Fig. 37: Railway energy consumption by fuel, 1990-2010	38
Fig. 38: Railway specific energy consumption, 1990-2010	39
Fig. 39: Railway specific CO ₂ emissions, 1990-2010	39
Fig. 40: Share of passenger transport CO ₂ emissions by distance of trip, Italy 2010	40

Fig. 41: Share of CO ₂ emissions from fuel combustion by sector, 2010	41
Fig. 42: Transport sector CO ₂ emissions by mode, 1990-2010	41
Fig. 43: Passenger and freight railway activity, 1990-2010	42
Fig. 44: Length of railway line, 1990-2010	42
Fig. 45: Evolution of paved roads and railway lines, 2000-2010	43
Fig. 46: Railway energy consumption by fuel, 1990-2010	43
Fig. 47: Railway specific energy consumption, 1975-2010	44
Fig. 48: National electricity production mix evolution, 2011 outside – 2006 inside	44
Fig. 49: National CO ₂ emission factor from electricity production mix, 1990-2010	45
Fig. 50: Railway specific CO ₂ emissions, 1995-2010	45

Japan

Fig. 51: Share of CO ₂ emissions from fuel combustion by sector, 2010	46
Fig. 52: Passenger and freight transport activity, 1990-2010	47
Fig. 53: Modal evolution of passenger traffic activity, 1995-2010	47
Fig. 54: Modal evolution of freight traffic activity, 1995-2010	48
Fig. 55: Transport sector CO ₂ emissions by mode, 1990-2010	48
Fig. 56: Passenger and freight railway activity, 1975-2010	49
Fig. 57: Length and share of electrified versus non-electrified railway lines, 1990-2010	49
Fig. 58: Evolution of paved roads and railway lines, 2000-2010	50
Fig. 59: Railway energy consumption by fuel, 1990-2010	50
Fig. 60: Railway specific energy consumption, 1975-2010	51
Fig. 61: National electricity production mix evolution, 2011 outside – 2006 inside	51
Fig. 62: National CO ₂ emission factor from electricity production mix, 1990-2010	52
Fig. 63: Railway specific CO ₂ emissions, 1995-2010	52

Brazil

Fig. 64: Share of CO ₂ emissions from fuel combustion by sector, 2010	53
Fig. 65: Transport sector CO ₂ emissions by mode, 1990-2010	53
Fig. 66: Passenger and freight railway activity, 2002-2010	54
Fig. 67: Length of railway line, 1990-2010 (thousand km)	54
Fig. 68: Evolution of paved roads and railway lines, 2000-2010 (km)	55
Fig. 69: Railway energy consumption by fuel, 1990-2009	55
Fig. 70: Railway specific energy consumption, 1975-2010	56
Fig. 71: National electricity production mix evolution, 2010 outside – 2005 inside	56
Fig. 72: National CO ₂ emission factor from electricity production mix, 2002-2010	57
Fig. 73: Railway specific CO ₂ emissions, 1995-2010	57

Russia

Fig. 74: Share of CO ₂ emissions from fuel combustion by sector, 2010	58
Fig. 75: Passenger and freight transport activity, 2004-2010	59
Fig. 76: Transport sector CO ₂ emissions by mode, 1990-2010	59
Fig. 77: Passenger and freight railway activity, 1975-2010	60
Fig. 78: Length and share of electrified versus non-electrified railway lines, 1990-2010	60
Fig. 79: Evolution of paved roads and railway lines, 2000-2010	61
Fig. 80: Railway energy consumption by fuel, 1990-2010	61

Fig. 81: Railway specific energy consumption, 1975-2010	62
Fig. 82: National electricity production mix evolution, 2010 outside – 2005 inside	62
Fig. 83: National CO ₂ emission factor from electricity production mix, 1990-2010	63
Fig. 84: Railway specific CO ₂ emissions, 1995-2010	63
Fig. 85: Share of CO ₂ emissions from fuel combustion by sector, 2010	64
Fig. 86: Transport sector CO ₂ emissions by mode, 1990-2010 (million tCO ₂)	64
Fig. 87: Passenger and freight railway activity, 1990-2010	65
Fig. 88: Length and share of electrified versus non-electrified railway lines, 1990-2010	65
Fig. 89: Evolution of paved roads and railway lines, 2000-2010 (km)	66
Fig. 90: Railway energy consumption by fuel, 1990-2010 (PJ)	66
Fig. 91: Railway specific energy consumption, 1975-2010	67
Fig. 92: National electricity production mix evolution, 2010 outside – 2005 inside	67
Fig. 93: National CO ₂ emission factor from electricity production mix, 1990-2010	68
Fig. 94: Railway specific CO ₂ emissions, 1995-2010	68
Fig. 95: Share of CO ₂ emissions from fuel combustion by sector, 2010	69
Fig. 96: Passenger and freight transport activity, 1990-2010 (billion pkm and tkm)	70
Fig. 97: Modal evolution of passenger traffic activity, 1995-2010 (pkm)	70
Fig. 98: Modal evolution of freight traffic activity, 1995-2010 (tkm)	71
Fig. 99: Transport sector CO ₂ emissions by mode, 1990-2010 (million tCO ₂)	71
Fig. 100: Passenger and freight railway activity, 1990-2010	72
Fig. 101: Length and share of electrified versus non-electrified railway lines, 1990-2010	72
Fig. 102: Evolution of paved roads and railway lines, 2000-2010 (km)	73
Fig. 103: Railway energy consumption by fuel, 1990-2010 (PJ)	73
Fig. 104: Railway specific energy consumption, 1975-2010	74
Fig. 105: National electricity production mix evolution, 2010 outside – 2005 inside	74
Fig. 106: National CO ₂ emission factor from electricity production mix, 1990-2010	75
Fig. 107: Railway specific CO ₂ emissions, 1995-2010	75
Fig. 108: Share of CO ₂ emissions from fuel combustion by sector, 2010	76
Fig. 109: Transport sector CO ₂ emissions by mode, 1990-2010 (million tCO ₂)	76
Fig. 110: Length and share of electrified versus non-electrified railway lines, 1990-2010	77
Fig. 111: Evolution of paved roads and railway lines, 2000-2010 (km)	77
Fig. 112: Railway energy consumption by fuel, 1990-2009 (PJ)	78
Fig. 113: Railway specific energy consumption, 1975-2010	78
Fig. 114: National electricity production mix evolution, 2010 outside – 2005 inside	79
Fig. 115: National CO ₂ emission factor from electricity production mix, 1990-2010	79
Fig. 116: Railway specific CO ₂ emissions, 1995-2010	80
Fig. 117: EU27 transport energy mix evolution, 2010 outside – 2005 inside	82
Fig. 118: EU27 railway energy mix evolution, 2010 outside – 2005 inside	83
Fig. 119: Forecast of the share of renewables in transport and in railways in EU27, 2005-2020	84
Fig. 120: National electricity production mix evolution in EU27, 2010 outside – 2006 middle - 1990 inside	85
Fig. 121: National Production Electricity Mix in selected EU and EFTA states, 2010	86

Fig. 122: National Consumption Electricity Mix in selected EU and EFTA states, 2010	87
Fig. 123: Physical energy flows in Europe, 2011	88
Fig. 124: Railway Electricity Mix in selected EU and EFTA states, 2010	89
Fig. 125: Railway electricity mix evolution in EU27, 2010 outside – 2005 inside	90
Fig. 126: Share of renewables in national production, national consumption and railway electricity mix for selected European countries, 2010	91
Fig. 127: National production, national consumption and railway electricity mix in Norway	92
Fig. 128: National production, national consumption and railway electricity mix in Austria	93
Fig. 129: National production, national consumption and railway electricity mix in Switzerland	94
Fig. 130: Gross installed power, 1996-2012 and national electricity production, 1990-2012 in Italy	97
Fig. 131: Specific emissions of electricity production in Italy	97
Fig. 132: Targets for specific emissions in 2020 and 2030 of railways, planes and conventional cars	98

Index of tables

Table 1: World transport modal share, 2010	19
Table 2: EU27 transport modal share, 2010	34
Table 3: Japan transport modal share, 2010	46
Table 4: Russia transport modal share, 2010	58
Table 5: China transport modal share, 2010	69
Table 6: National Production Electricity Mix in selected EU and EFTA states, 2010	86
Table 7: National Consumption Electricity Mix in selected EU and EFTA states, 2010	87
Table 8: Railway Electricity Mix in selected EU and EFTA states, 2010	89
Table 9: National production, national consumption and railway electricity mix in Norway	92
Table 10: National production, national consumption and railway electricity mix in Austria	93
Table 11: National production, national consumption and railway electricity mix in Switzerland	94



Introduction

After the excellent reception of the Railway Handbook 2012 on Energy Consumption and CO₂ Emissions published last year, the International Energy Agency and the International Union of Railways have decided to strengthen their collaboration and publish a new Handbook every year.

In this edition, several significant improvements have been made, even if the level of detail for energy and CO₂ data of non-European operators has not yet reached the standard of the European Database. Together with updates of the most significant facts and figures from last year's Handbook, new insights have been added for several countries and regions, including the USA, Japan and the countries known as BRICS (Brazil, Russia, India, China and South Africa).

An entire new "World" section has also been introduced, with global trends and statistics on railway transport activity, energy consumption and CO₂ emissions. At the EU level, a high degree of data detail has permitted the introduction of a special focus on Energy Mix, showing the sources of energy used by railways in Europe.

This publication combines UIC and IEA data: UIC Statistics (UIC, 2012a) and the UIC Energy and CO₂ Database (UIC, 2012b) are pooled with IEA World Energy Balances (IEA, 2012b) and CO₂ Emissions from Fuel Combustion (IEA, 2012a) to get a consolidated vision of the railway sector. Further additions come from IEA infrastructure analysis (IEA, 2013) and the IEA Mobility Model, which allows projections on energy and emissions for the global transport sector.

The data collected in this year's Handbook shows how shifting to rail would benefit sustainable mobility: worldwide, railways generate only 3% of transport CO₂ emissions, while sustaining more than 9% of total transport activity. Rail energy efficiency and emissions are also constantly improving: worldwide rail energy consumption and CO₂ emissions per passenger-kilometre shrank by more than 30% between 2000 and 2010, according to the data released in this handbook.

This is partly due to the continued electrification of railways as more than one-third of energy consumed by railways in the world is now electricity. The special focus on Energy Mix in Europe allows the reader to look in

more depth as to how much this increasing share of energy comes from sustainable sources.

The good news is that the EU railway sector has already surpassed the target set by EU directives, which requires 10% of renewable energy to be used in transport by 2020. Railways in 2010 already used nearly 20% of renewables in their energy mix. The Handbook shows how different countries are dealing with renewables in their electricity use, together with some case studies of electricity supply from national railway operators.

The IEA and the UIC are undertaking a significant effort to widen the scope of their environmental data collection and to gather data from railways all over the world. The ultimate goal is to provide policy makers with continuously improved indicators on which to build choices towards sustainable mobility – thanks to editions of the Handbook that will be more accurate and comprehensive each year.



Part I: The Railway Sector Main data




Key facts¹

- ◆ India and China move more railway passenger-kilometres than the rest of the world combined (61% of total). For freight, 52% of railway tonne-kilometres are moved in North America and Russia.
- ◆ Nearly 50% of the world's railway lines are in North America and the European Union. China and India together have 12.5% of the world's railway lines.
- ◆ A quarter of the world's railway lines are electrified; nearly none of them in North America. In India 30% of the network is electrified and in China 50%.
- ◆ From 2000 to 2010, paved roads grew in length by 32% while railway lines decreased by 3% globally.
- ◆ High-speed lines are constantly growing, but they only represent around 1% of total railway lines. China currently has nearly half of the world's high-speed lines in operation.
- ◆ More than one-third of energy use in railways comes from electricity.
- ◆ From 1975 to 2010, energy consumption per passenger-km decreased by 63% (35% between 2000 and 2010); energy consumption per freight tonne-km decreased by 52% (18% between 2000 and 2010).
- ◆ Energy consumption and CO₂ emissions per passenger-km are consistently lower in India and China than in Europe or USA, mainly due to higher passenger load factors.
- ◆ The transport sector is responsible for 23% of the total energy-related CO₂ emissions, of which 3% is due to rail activity. Therefore railways generate less than 1% of total energy-related CO₂ emissions.
- ◆ CO₂ emissions per passenger-km went down by 32% in the period 2000-2010; CO₂ emissions per freight tonne-km shrunk by 18% in the same period.

¹ If not otherwise specified, data is related to the year 2010

Fig. 1: Share of CO₂ emissions from fuel combustion by sector, 2010



Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.


Source: Elaboration by Susdef based on IEA (2012a), IEA (2012b), IPCC (2006) and IEA (2008)

Table 1: World transport modal share, 2010

	Passenger PKM	Freight TKM	Total TU
ROAD	83.1%	10.0%	33.7%
NAVIGATION	0.3%	79.3%	53.8%
RAIL	6.5%	10.4%	9.2%
AVIATION	10.1%	0.3%	3.3%


Source: IEA Mobility Model

Fig. 2: Passenger and freight railway activity, 1975-2010




Source: Elaboration by IEA based on UIC (2012a)

Fig. 3: Railway passenger transport activity, 1975-2010 (pkm and train-km)




Source: Elaboration by IEA based on UIC (2012a)

Fig. 4: Railway passenger transport activity by geographic area, 1975-2010 (trillion pkm)




Source: Elaboration by IEA based on UIC (2012a)

Fig. 5: Railway passenger transport activity by geographic area, 1975-2010 (billion train-km)




Source: Elaboration by IEA based on UIC (2012a)

Fig. 6: Railway freight transport activity, 1975-2010 (tkm and train-km)




Source: Elaboration by IEA based on UIC (2012a)

Fig. 7: Railway freight transport activity by geographic area, 1975-2010 (trillion tkm)




Source: Elaboration by IEA based on UIC (2012a)

Fig. 8: Railway freight transport activity by geographic area, 1975-2010 (billion train-km)




Source: Elaboration by IEA based on UIC (2012a)

Fig. 9: Length of railway lines in operation by geographic area (million km) & total passenger and freight train-km (billion), 1975-2010




Source: Elaboration by IEA based on UIC (2012a)

Fig. 10: Length and share of electrified versus non-electrified railway lines, 1975-2010




Source: Elaboration by IEA based on UIC (2012a)

Fig. 11: Share of electrified railway lines in selected countries and geographic areas, 1975-2010 (%)




Source: Elaboration by IEA based on UIC (2012a)

Fig. 12: High-speed lines in operation and forecasted, 1981-2020 (thousand km)




Source: Elaboration by IEA based on (UIC, 2012a)

Fig. 13: High-speed lines in operation by country, 1981-2012 (thousand km)




Source: Elaboration by IEA based on (UIC, 2012a)

Fig. 14: High-speed lines in operation by country (km) and share of world total (%), 2012



Source: Elaboration by IEA based on (UIC, 2012a)


Fig. 15: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 16: Railway energy consumption by fuel, 1990-2010 (PJ)




Source: IEA (2012b)

Fig. 17: Railway specific energy consumption, 1975-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 18: Railway passenger specific energy consumption in selected countries, 1975-2010 (kJ/pkm)




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 19: Railway freight specific energy consumption in selected countries, 1975-2010 (kJ/tkm)




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 20: World electricity mix evolution, 2010 outside – 2005 inside




Source: IEA (2012b)

Fig. 21: Railway specific CO₂ emissions, 1995-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 22: Railway passenger specific CO₂ emissions in selected countries, 1995-2010 (gCO₂/pkm)



Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 23: Railway freight specific CO₂ emissions in selected countries, 1995-2010 (gCO₂/tkm)




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Europe (EU27)

Key facts


- ◆ Freight transport (all modes) recovered in 2010 after the economic crisis of 2009, while passenger activity (all modes) decreased mainly due to the decrease of private car use.
- ◆ High-speed passenger rail activity represents more than 26% of total railway activity (growing from 16% in 2000).
- ◆ More than 50% of railway lines are electrified.
- ◆ From 2000 to 2010, railway lines decreased in length by 2%. In the same timeframe, paved roads increased by 3%.
- ◆ More than half of the energy consumed by railways is electricity-related.
- ◆ CO₂ emissions from railways are 1.8% of transport emissions (same as 2009) while railways represent 7.4% of transport activity (increased from 7.1% in 2009). The transport sector as a whole has decreased its share of CO₂ emissions from 31.2% of total emissions in 2009 to 30.3% of total emissions in 2010.
- ◆ An Italian case study shows that nearly 70% of transport CO₂ emissions are generated for journeys shorter than 50 km.
- ◆ European railways have committed to reduce their specific CO₂ emissions by 50% by 2030, compared to baseline year 1990. In 2010, passenger specific emissions were already reduced by 27% and freight specific emissions by 41% compared to 1990.

Fig. 24: Passenger and freight transport activity, 2000-2010 (billion transport units)




Source: Elaboration by Susdef based on EC (2012) and UIC (2012a)

Fig. 25: Passenger transport activity by mode, 2000-2010 (billion pkm)



Source: EC (2012) and UIC (2012a)


Fig. 26: Modal evolution of passenger traffic activity, 2000-2010 (pkm)



Year 2000=100


Source: EC (2012) and UIC (2012a)

Fig. 27: Freight transport activity by mode, 2000-2010 (billion tkm)




Source: EC (2012) and UIC (2012a)

Fig. 28: Modal evolution of freight traffic activity, 2000-2010 (tkm)



Year 2000=100 Source: EC (2012) and UIC (2012a)

Fig. 29: Share of CO₂ Emissions from fuel combustion by sector, 2010




Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.

Source: Elaboration by Susdef based on IEA (2012a) and UIC (2012b)

Table 2: EU27 transport modal share, 2010


Mode	Passenger PKM	Freight TKM	Total TU
ROAD	83.8%	47.2%	71.1%
NAVIGATION	0.6%	42.0%	15.0%
RAIL	7.4%	7.5%	7.4%
AVIATION	8.2%	0.1%	5.3%
OTHER	0.0%	3.2%	1.2%

Fig. 30: Transport sector energy consumption by mode, 1990-2010 (EJ)




Source: IEA (2012b)

Fig. 31: Transport sector CO₂ emissions by mode 1990-2010 (million tCO₂)




Source: IEA (2012a)

Fig. 32: Railway passenger transport activity, 2000-2010 (pkm and train-km)



Source: UIC (2012a)


Fig. 33: Railway passenger transport activity by service type, 2000-2010 (billion pkm)



Note: Urban rail (tram and metro) is not included.


Source: Elaboration by Susdef based on UIC (2012a)

Fig. 34: Railway freight transport activity, 2000-2010 (tkm and train-km)




Source: UIC (2012a)

Fig. 35: Length and share of electrified versus non-electrified railway lines, 1975-2010



Source: Elaboration by IEA based on UIC (2012a)


Fig. 36: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 37: Railway energy consumption by fuel, 1990-2010 (PJ)




Source: IEA (2012b)

Fig. 38: Railway specific energy consumption, 1990-2010



Source: UIC (2012b)

Fig. 39: Railway specific CO₂ emissions, 1990-2010



Source: UIC (2012b)




Case Study: Passenger CO₂ Emissions by Distance in Italy

An Italian study conducted by the Sustainable Development Foundation on behalf of the Italian Ministry for Environment shows that nearly 70% of passenger transport emissions are generated to cover distances shorter than 50 km.

This is an argument to develop strategies to avoid emissions, improve vehicles efficiency and shift transport to more efficient modes, especially for short distances. In particular, development of urban rail transport for commuters can contribute to modal shift from private cars, leading to a potential reduction of 15-20% of emissions produced by private vehicles in urban areas.

Fig. 40: Share of passenger transport CO₂ emissions by distance of trip, Italy 2010




Source: Susdef (2013)



USA


Fig. 41: Share of CO₂ emissions from fuel combustion by sector, 2010



Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.


Source: Elaboration by Susdef based on IEA (2012a), IEA (2012b), IPCC (2006) and IEA (2008).

Fig. 42: Transport CO₂ emissions by mode, 1990-2010 (million tCO₂)




Source: IEA (2012a)

Fig. 43: Passenger and freight railway activity, 1990-2010




Source: UIC (2012a)

Fig. 44: Length of railway lines, 1990-2010 (thousand km)



Source: UIC (2012a)


Fig. 45: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 46: Railway energy consumption by fuel, 1990-2010 (PJ)




Source: IEA (2012b)

Fig. 47: Railway specific energy consumption, 1975-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 48: National electricity production mix evolution, 2011 outside – 2006 inside




Source: IEA (2012b)

Fig. 49: National CO₂ emission factor from electricity production mix, 1990-2010 (gCO₂/kWh)



Source: Elaboration by Susdef based on IEA (2012b), IPCC (2006) and IEA (2008).


Fig. 50: Railway specific CO₂ emissions, 1995-2010



Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Japan

Fig. 51: Share of CO₂ emissions from fuel combustion by sector, 2010



Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.


Source: Elaboration by Susdef based on IEA (2012a), IEA (2012b), IPCC (2006) and IEA (2008).

Table 3: Japan transport modal share, 2010

	Passenger PKM	Freight TKM	Total TU
ROAD	73.1%	61.5%	69.6%
NAVIGATION	0.3%	34.4%	4.5%
RAIL	20.3%	3.9%	10.6%
AVIATION	6.3%	0.2%	15.3%


Source: OECD (2013), UIC (2012a), JSB (2012) and JMLIT (2012)

Fig. 52: Passenger and freight transport activity, 1990-2010 (billion pkm and tkm)



Source: OECD (2013), UIC (2012a), JSB (2012) and JMLIT (2012)


Fig. 53: Modal evolution of passenger traffic activity, 1995-2010 (pkm)



Year 1995=100

Source: OECD (2013), UIC (2012a), JSB (2012) and JMLIT (2012)


Fig. 54: Modal evolution of freight traffic activity, 1995-2010 (tkm)



Year 1995=100


Source: OECD (2013), UIC (2012a), JSB (2012) and JMLIT (2012)

Fig. 55: Transport sector CO₂ emissions by mode, 1990-2010 (million tCO₂)




Source: IEA (2012a)

Fig. 56: Passenger and freight railway activity, 1990-2010




Source: UIC (2012a)

Fig. 57: Length and share of electrified versus non-electrified railway lines, 1990-2010



Source: UIC (2012a)


Fig. 58: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 59: Railway energy consumption by fuel, 1990-2010 (PJ)




Source: IEA (2012b)

Fig. 60: Railway specific energy consumption, 1975-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 61: National electricity production mix evolution, 2011 outside – 2006 inside




Source: IEA (2012b)

Fig. 62: National CO₂ emission factor from electricity production mix, 1990-2010 (gCO₂/kWh)




Source: Elaboration by Susdef based on IEA (2012b), IPCC (2006) and IEA (2008).

Fig. 63: Railway specific CO₂ emissions, 1995-2010



Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)


Fig. 64: Share of CO₂ emissions from fuel combustion by sector, 2010



Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.


Source: Elaboration by Susdef based on IEA (2012a), IEA (2012b), IPCC (2006) and IEA (2008).

Fig. 65: Transport sector CO₂ emissions by mode, 1990-2010 (million tCO₂)




Source: IEA (2012a)

Fig. 66: Passenger and freight railway activity, 2002-2010




Source: UIC (2012a)

Fig. 67: Length of railway lines, 1990-2010 (thousand km)



Source: UIC (2012a)


Fig. 68: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 69: Railway energy consumption by fuel, 1990-2009 (PJ)




Source: IEA (2012b)

Fig. 70: Railway specific energy consumption, 1975-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 71: National electricity production mix evolution, 2010 outside – 2005 inside




Source: IEA (2012b)

Fig. 72: National CO₂ emission factor from electricity production mix, 2002-2010 (gCO₂/kWh)



Source: Elaboration by Susdef based on IEA (2012b), IPCC (2006) and IEA (2008)


Fig. 73: Railway specific CO₂ emissions, 1995-2010



Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Russian Federation

Fig. 74: Share of CO₂ emissions from fuel combustion by sector, 2010



Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.


Source: Elaboration by Susdef based on IEA (2012a), IEA (2012b), IPCC (2006) and IEA (2008).

Table 4: Russia transport modal share, 2010

	Passenger PKM	Freight TKM	Total TU
ROAD	32.9%	8.8%	12.6%
NAVIGATION	0.2%	2.4%	2.0%
RAIL	32.5%	88.6%	79.8%
AVIATION	34.4%	0.2%	5.6%


Source: IEA (2011b)

Fig. 75: Passenger and freight transport activity, 2004-2010 (billion pkm and tkm)




Source: OECD (2013), UIC (2012a) and Rosstat (2013)

Fig. 76: Transport sector CO₂ emissions by mode, 1990-2010 (million tCO₂)




Source: IEA (2012a)

Fig. 77: Passenger and freight railway activity, 1975-2010




Source: UIC (2012a)

Fig. 78: Length and share of electrified versus non-electrified railway lines, 1990-2010



Source: UIC (2012a)


Fig. 79: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 80: Railway energy consumption by fuel, 1990-2010 (PJ)




Source: IEA (2012b)

Fig. 81: Railway specific energy consumption, 1975-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 82: National electricity production mix evolution, 2010 outside – 2005 inside




Source: IEA (2012b)

Fig. 83: National CO₂ emission factor from electricity production mix, 1990-2010 (gCO₂/kWh)



Source: Elaboration by Susdef based on IEA (2012b), IPCC (2006) and IEA (2008).


Fig. 84: Railway specific CO₂ emissions, 1995-2010



Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

India


Fig. 85: Share of CO₂ emissions from fuel combustion by sector, 2010



Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.


Source: Elaboration by Susdef based on IEA (2012a), IEA (2012b), IPCC (2006) and IEA (2008).

Fig. 86: Transport sector CO₂ emissions by mode, 1990-2010 (million tCO₂)




Source: IEA (2012a)

Fig. 87: Passenger and freight railway activity, 1990-2010




Source: UIC (2012a)

Fig. 88: Length and share of electrified versus non-electrified railway lines, 1990-2010



Source: UIC (2012a)


Fig. 89: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 90: Railway energy consumption by fuel, 1990-2010 (PJ)




Source: IEA (2012b)

Fig. 91: Railway specific energy consumption, 1975-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 92: National electricity production mix evolution, 2010 outside – 2005 inside




Source: IEA (2012b)

Fig. 93: National CO₂ emission factor from electricity production mix, 1990-2010 (gCO₂/kWh)



Source: Elaboration by Susdef based on IEA (2012b), IPCC (2006) and IEA (2008).


Fig. 94: Railway specific CO₂ emissions, 1995-2010



Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

People's Republic of China

Fig. 95: Share of CO₂ emissions from fuel combustion by sector, 2010



Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.


Source: Elaboration by Susdef based on IEA (2012a), IEA (2012b), IPCC (2006) and IEA (2008).

Table 5: China transport modal share, 2010

	Passenger PKM	Freight TKM	Total TU
ROAD	53.8%	31.1%	34.9%
NAVIGATION	0.3%	49.0%	40.9%
RAIL	31.4%	19.8%	21.7%
AVIATION	14.5%	0.1%	2.5%


Source: UIC (2012a) and CNBS (2012)

Fig. 96: Passenger and freight transport activity, 1990-2010 (billion pkm and billion tkm)



Source: UIC (2012a) and CNBS (2012)


Fig. 97: Modal evolution of passenger traffic activity, 1995-2010 (pkm)



Year 1995=100

Source: UIC (2012a) and CNBS (2012)


Fig. 98: Modal evolution of freight traffic activity, 1995-2010 (tkm)



Year 1995=100


Source: UIC (2012a) and CNBS (2012)

Fig. 99: Transport sector CO₂ emissions by mode, 1990-2010 (million tonnes)




Source: IEA (2012a)

Fig. 100: Passenger and freight railway activity, 1990-2010




Source: UIC (2012a)

Fig. 101: Length and share of electrified versus non-electrified railway lines, 1990-2010



Source: UIC (2012a)


Fig. 102: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 103: Railway energy consumption by fuel, 1990-2010 (PJ)




Source: IEA (2012b)

Fig. 104: Railway specific energy consumption, 1975-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 105: National electricity production mix evolution, 2010 outside – 2005 inside




Source: IEA (2012b)

Fig. 106: National CO₂ emission factor from electricity production mix, 1990-2010 (gCO₂/kWh)



Source: Elaboration by Susdef based on IEA (2012b), IPCC (2006) and IEA (2008).


Fig. 107: Railway specific CO₂ emissions, 1995-2010



Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

South Africa


Fig. 108: Share of CO₂ emissions from fuel combustion by sector, 2010



Note: Emissions from rail electrical traction are included in the transport sector. See Methodology Notes.


Source: Elaboration by Susdef based on IEA (2012a), IEA (2012b), IPCC (2006) and IEA (2008).

Fig. 109: Transport sector CO₂ emissions by mode, 1990-2010 (million tCO₂)




Source: IEA (2012a)

Fig. 110: Length and share of electrified versus non-electrified railway lines, 1990-2010



Source: UIC (2012a)


Fig. 111: Evolution of paved roads and railway lines, 2000-2010 (km)



Year 2000=100


Source: Elaboration by Susdef from IEA (2013) and UIC (2012a)

Fig. 112: Railway energy consumption by fuel, 1990-2009 (PJ)




Source: IEA (2012b)

Fig. 113: Railway specific energy consumption, 1975-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Fig. 114: National electricity production mix evolution, 2010 outside – 2005 inside




Source: IEA (2012b)

Fig. 115: National CO₂ emission factor from electricity production mix, 1990-2010 (gCO₂/kWh)



Source: Elaboration by Susdef based on IEA (2012b), IPCC (2006) and IEA (2008).

Fig. 116: Railway specific CO₂ emissions, 1995-2010




Source: Elaboration by IEA and Susdef based on IEA Mobility Model and UIC (2012a)

Part II: Focus on Energy Mix



Energy Mix in Transport and Railways

Fig. 117: EU27 transport energy mix evolution, 2010 outside – 2005 inside




Note: in this graph, renewable energy sources include both renewable fuels directly used by transport (e.g. biofuels) and renewable sources of electricity that are then used in transport.

Source: Elaboration by Susdef from IEA (2012b)

- ◆ This is the mix of fuels used by the EU transport sector. It takes into account both the fuels used directly (e.g. oil and diesel) and the composition of the electricity mix for electric traction.


Fig. 118: EU27 railway energy mix evolution, 2010 outside – 2005 inside



Source: Elaboration by Susdef of IEA (2012b) and UIC (2012b)

- ◆ This is the mix of fuels used by the EU railway sector. It takes into account both the fuels used directly (e.g. coal and diesel) and the composition of the electricity mix for electric traction

Fig. 119: Forecast of the share of renewables in transport and in railways in EU27, 2005-2020




Source: Elaboration by Susdef based on IEA (2012b) and UIC (2012b)

- ◆ If the energy sources used by railways continue to follow the trends of past years, EU railways will go to almost 35% of renewables in 2020 (they were already at 18% in 2010). The fuel mix of the whole transport sector is now at 5% of renewables and is set to reach 12% in 2020.

Electricity Mixes in EU27

Fig. 120: National electricity production mix evolution in EU27, 2010 outside - 2006 middle - 1990 inside




Source: IEA (2012b)

Table 6: National Production Electricity Mix in selected EU and EFTA states, 2010

	Coal	Oil	Gas	Nuclear	Renewable
NORWAY	0.1%	0.0%	3.9%	0.0%	96.0%
AUSTRIA	9.9%	1.9%	21.1%	0.0%	67.1%
CROATIA	17.0%	4.0%	18.3%	0.0%	60.7%
SWITZERLAND	0.0%	0.1%	1.6%	39.9%	58.4%
SWEDEN	1.8%	1.2%	1.9%	39.0%	56.1%
LATVIA	0.0%	0.0%	45.1%	0.0%	54.9%
PORTUGAL	13.2%	5.6%	27.8%	0.0%	53.4%
DENMARK	43.8%	1.9%	20.4%	0.0%	33.9%
ROMANIA	34.4%	1.1%	12.1%	19.3%	33.1%
SPAIN	8.8%	5.5%	32.2%	20.7%	32.8%
FINLAND	26.6%	0.6%	14.0%	28.4%	30.4%
SLOVENIA	32.6%	0.0%	3.4%	34.8%	29.2%
ITALY	14.9%	7.3%	51.1%	0.0%	26.7%
SLOVAK REPUBLIC	14.8%	2.2%	8.0%	53.1%	21.9%
GERMANY	44.0%	1.3%	14.0%	22.6%	18.1%
HUNGARY	15.3%	8.9%	19.6%	38.1%	18.1%
FRANCE	4.7%	1.0%	4.2%	75.9%	14.2%
BULGARIA	49.1%	0.9%	4.3%	33.1%	12.6%
NETHERLANDS	21.8%	1.1%	62.8%	3.4%	10.9%
BELGIUM	6.4%	0.4%	33.6%	51.3%	8.3%
UNITED KINGDOM	28.8%	1.3%	46.3%	16.4%	7.2%
POLAND	88.0%	1.8%	3.1%	0.0%	7.1%
CZECH REPUBLIC	58.8%	0.2%	1.3%	32.8%	6.9%

Source: IEA (2012b)

Fig. 121: National Production Electricity Mix in selected EU and EFTA states, 2010



Source: IEA (2012b)

Table 7: National Consumption Electricity Mix in selected EU and EFTA states, 2010


	Coal	Oil	Gas	Nuclear	Renewable
DENMARK	N/A	N/A	N/A	N/A	N/A
FINLAND	N/A	N/A	N/A	N/A	N/A
NORWAY	39.0%	28.0%	0.0%	0.0%	33.0%
SWEDEN	N/A	N/A	N/A	N/A	N/A
AUSTRIA	35.7%	0.0%	0.0%	0.0%	64.3%
SWITZERLAND	21.3%	0.0%	0.0%	41.6%	37.1%
LATVIA	0.0%	0.0%	45.1%	0.0%	54.9%
PORTUGAL	N/A	N/A	N/A	N/A	N/A
CROATIA	23.6%	3.0%	13.5%	14.3%	45.6%
SPAIN	16.0%	0.0%	18.6%	21.2%	44.2%
ITALY	18.7%	1.6%	42.4%	1.7%	35.6%
SLOVENIA	32.6%	0.0%	3.4%	34.8%	29.2%
ROMANIA	N/A	N/A	N/A	N/A	N/A
SLOVAK REPUBLIC	N/A	N/A	N/A	N/A	N/A
GERMANY	N/A	N/A	N/A	N/A	N/A
BULGARIA	N/A	N/A	N/A	N/A	N/A
UNITED KINGDOM	N/A	N/A	N/A	N/A	N/A
BELGIUM	N/A	N/A	N/A	N/A	N/A
FRANCE	N/A	N/A	N/A	N/A	N/A
HUNGARY	13.3%	24.8%	37.5%	16.4%	8.0%
CZECH REPUBLIC	N/A	N/A	N/A	N/A	N/A
POLAND	88.0%	1.8%	3.1%	0.0%	7.1%
NETHERLANDS	N/A	N/A	N/A	N/A	N/A

Note: Colored rows indicate countries for which the data is available.

Source: UIC (2013b)


The national consumption electricity mix indicates the mix of energy sources for the electricity consumed rather than produced in a country, which may be different from the country production electricity mix due to imports and exports of physical electricity and/or the exchange of Guarantees of Origin and Renewable Energy Certificates.

Fig. 122: National Consumption Electricity Mix in selected EU and EFTA states, 2010



Source: UIC (2013b)

Fig. 123: Physical energy flows in Europe, 2011



Source: ENTSO-E (2011)

The difference between national production mix and national consumption mix can be explained by the physical import and export energy flows generated by most European countries and by the exchange of Guarantees of Origin (GO) and Renewable Energy Certificates (REC). The map shows physical import and export energy flows in Europe in 2011.


Table 8: Railway Electricity Mix in selected EU and EFTA states, 2010

	Coal	Oil	Gas	Nuclear	Renewable
DENMARK	0.0%	0.0%	0.0%	0.0%	100.0%
FINLAND	0.0%	0.0%	0.0%	0.0%	100.0%
NORWAY	0.0%	0.0%	0.0%	0.0%	100.0%
SWEDEN	0.0%	0.0%	0.0%	0.0%	100.0%
AUSTRIA	0.0%	0.0%	7.2%	0.0%	92.8%
SWITZERLAND	0.0%	0.0%	0.0%	18.1%	81.9%
LATVIA	0.0%	0.0%	45.0%	0.0%	55.0%
SPAIN	7.9%	0.7%	23.2%	22.1%	46.1%
CROATIA	23.6%	3.0%	13.5%	14.3%	45.6%
PORTUGAL	15.5%	1.0%	33.1%	7.4%	43.0%
ROMANIA	33.2%	0.7%	10.4%	19.1%	36.6%
ITALY	19.0%	2.0%	43.0%	1.0%	35.0%
NETHERLANDS	18.0%	0.0%	52.0%	4.0%	26.0%
SLOVAKIA	11.0%	0.0%	0.0%	66.3%	22.7%
GERMANY	47.5%	0.0%	10.5%	22.2%	19.8%
SLOVENIA	12.5%	0.6%	6.6%	61.7%	18.6%
BULGARIA	41.7%	0.0%	0.0%	42.4%	15.9%
UNITED KINGDOM	28.0%	1.0%	45.0%	18.0%	8.0%
HUNGARY	13.3%	24.8%	37.5%	16.4%	8.0%
POLAND	92.0%	0.0%	1.0%	0.0%	7.0%
CZECH REPUBLIC	51.0%	0.0%	0.0%	44.0%	5.0%
BELGIUM	6.7%	2.3%	29.1%	57.0%	4.9%
FRANCE	4.5%	1.8%	3.2%	85.8%	4.7%

Source: UIC (2012b)

The railway electricity mix reflects the energy purchased by the railway companies through electricity suppliers. This may be different from national production and national consumption mix (see the case studies for explanations of those differences).

Fig. 124: Railway Electricity Mix in selected EU and EFTA states, 2010




* Value 2009

** Value 2005

Source: UIC (2012b)


Fig. 125: Railway electricity mix evolution in EU27, 2010 outside – 2005 inside



Source: Elaboration by Susdef from UIC (2012b)

Methodological note: This figure is different from the one published in the Railway Handbook 2012 (fig. 27) as data from more railways has been included. Therefore the current figures are more accurate.

Fig. 126: Share of renewables in national production, national consumption and railway electricity mix for selected European countries, 2010



Note: National consumption mix is not available for the following countries: France, Czech Republic, Hungary, United Kingdom, Bulgaria, Slovenia, Germany, Slovakia, Netherlands, Spain, Sweden, Finland and Denmark.

Source: IEA (2012b), UIC (2012b) and UIC (2013b)

Comparison


Production/Consumption/Railway electricity mix in selected countries

Norway

Table 9: National production, national consumption and railway electricity mix in Norway

	Year	Coal	Oil	Gas	Nuclear	Renewables
NATIONAL PRODUCTION	2010	0.1%	0.0%	3.9%	0.0%	96.0%
NATIONAL CONSUMPTION	2010	39.0%	28.0%	0.0%	0.0%	33.0%
RAILWAY	2010	0.0%	0.0%	0.0%	0.0%	100.0%

Fig. 127: National production, national consumption and railway electricity mix in Norway



Source: IEA (2012b), UIC (2012b) and UIC (2013b)

While Norway is a producer of renewable electricity (almost 100% from hydroelectricity), most of the electricity is being sold (through Renewable Energy Certificates – RECs – or Guarantees of Origin – GOs) to other countries. Therefore the remaining national consumption mix is much less “green”, with only 33% of renewable energy.


The Norwegian railways (NSB) compensate for that by buying RECs and GOs, in order to make the mix 100% renewable for the electricity that they use.

Austria

Table 10: National production, national consumption and railway electricity mix in Austria

	Year	Coal	Oil	Gas	Nuclear	Renewables
NATIONAL PRODUCTION	2010	9.9%	1.9%	21.1%	0.0%	67.1%
NATIONAL CONSUMPTION	2012	25.5%	0.0%	0.0%	0.0%	74.5%
RAILWAY	2012	0.0%	0.0%	8.0%	0.0%	92.0%

Fig. 128: National production, national consumption and railway electricity mix in Austria



Source: IEA (2012b), UIC (2012b) and UIC (2013b)


ÖBB, the main Austrian railway company, operates 8 hydroelectric plants to produce electricity for the railways. On top of that, ÖBB buys green certificates to make its mix 92% from renewable energy sources.

Switzerland

Table 11: National production, national consumption and railway electricity mix in Switzerland

	Year	Coal	Oil	Gas	Nuclear	Renewables	Other*
NATIONAL PRODUCTION	2010	0.0%	0.1%	1.6%	39.9%	58.4%	0.0%
NATIONAL CONSUMPTION	2009	0.1%	0.1%	1.5%	41.7%	37.1%	19.5%
RAILWAY	2010	0.0%	0.0%	0.0%	18.1%	81.9%	0.0%

Fig. 129: National production, national consumption and railway electricity mix in Switzerland



Source: IEA (2012b), UIC (2012b) and UIC (2013b)

* Other: partly from waste sources, partly not declared.

The difference between production and consumption mix is due to some hydroelectric power being exported.

The railway electricity mix of SBB is different from the national mix: in 2012 around 80% of the electricity came from hydroelectric power produced in SBB's hydroelectric power stations or in partner stations. To cover the residual demand for power (20%), SBB uses nuclear energy. Most electricity is produced in own power plants (hydro) or where SBB is a shareholder (nuclear). Production is generated at 16.7 Hz or transformed by the use of frequency converters and fed into the railway grid. The electricity mix is declared according to the regulation in Switzerland, as every other electricity provider does. Every railway company driving on SBB infrastructure network is supplied with the same mix.

No green certificates or RECs are being used.



SPAIN: Decarbonisation strategy

In 2012, Adif, the infrastructure manager for Spanish railways, signed a contract for electricity supply with Acciona Green Energy, a company certified as a renewable producer by the National Council of Energy. This contract includes the supply of 71% of the total electricity consumption for traction of Renfe, in terms of total energy consumption (electricity and diesel). The supply assumes 53% of energy consumption for traction use. The contract has been renewed for 2013 with 100% renewable energy including an increment of the share of Acciona Green Energy up to 94%, and 6% coming from Enérgya VM Gestión (a company also certified as green energy provider).*

The Spanish National Railways, RENFE, elaborated a target strategy in 2008 aiming for 2020 to reach a level of CO₂ emissions of 20 grams per transport unit. This target was made according to operative plans of the company and it was sent to UIC and CER (the Community of European Railways) for the signature of CER Commitment to reduce Carbon Intensity of European Railways for 2020.

* The main data of the 2012 contract can be found in the following press release:

<http://www.acciona.es/noticias/adif-y-acciona-impulsan-la-utilizacion-de-energias-renovables-en-las-redes-ferroviarias-espanolas>.



DIRECT RAILWAY INITIATIVES for the greenification of energy supply: the case of Infrabel's "Green Tunnel" in Belgium

In 2011, Infrabel, the Belgian infrastructure manager, started the operation of 16 000 photovoltaic panels on top of a 3.4 km long high-speed rail tunnel, primarily designed for the protection of wildlife in a forest area and to reduce noise from the rail and highway.

The panels are installed over a 50 000 m² surface; the total installed power is nearly 4 MW and each year 3.3 GWh of electricity is generated. The energy is used to power both fixed infrastructure (e.g. railway stations, lighting, heating and signaling) and the traction of trains.



GREENING OF NATIONAL MIX: the case of Italy

In Italy, railways use electricity provided by the grid: therefore their mix in 2012 was in fact identical to the national consumption mix, which was similar to the national production mix. No RECs or green certificates are being used. The national initiatives aimed to improve the share of renewables in the electricity mix have thus an effect on the better environmental performance of railway electric traction.

The installed power of renewable energy in Italy has grown significantly, particularly in recent years and for photovoltaic installations. This has led to an increase in the portion of renewables in the electricity production, and therefore to a decrease of the specific emissions of electric production.

Fig. 130: Italy: Gross installed power (MW), 1996-2012 (left) and national electricity production (GWh), 1990-2012 (right)





Fig. 131: Specific emissions of electricity production in Italy (gCO₂/kWh)




Source: Susdef elaborations based on ISPRA (2013) and Terna (2013)

Inter - modal comparison of specific emissions: baseline 2010 and sectoral targets

The graph shows a comparison between the targets for CO₂ specific emissions in 2020 and 2030 of the railway sector (UIC/CER), of the airline sector (IATA) and of the Global Fuel Economy Initiative (GFEI) for conventional cars.

Fig. 132: Targets for specific emissions in 2020 and 2030 of railways, planes and conventional cars (gCO₂/pkm)



Methodology used:

UIC/CER targets: The 2010 value has been calculated in UIC (2012b), by using a weighted average of values collected from UIC members. The targets for 2020 and 2030 have been officially declared by UIC and CER in UIC/CER (2010): a reduction of specific emissions of 30% by 2020 and of 50% by 2030 compared to base year 1990.

IATA targets: The targets for total emissions have been officially published by IATA, declaring a 50% reduction in total emissions by 2050 (IATA, 2009). The ensuing projection of total emissions has been divided by the projected 4.6% annual increase rate of pkm as expected by ICAO (2013).

Conventional car: The targets have been published in GFEI (2009) and elaborated by IEA to be integrated in this graph.

It is important to note that the evolution of the REC and GO markets has not been taken into account by UIC/CER targets: these drivers may affect considerably the CO₂ values of the railway sector in the future.



Methodology Notes

The IEA *CO₂ from fuel combustion* database does not attribute any CO₂ emissions from the use of electricity in the transport sector. The CO₂ emissions from electricity generation are attributed to the power sector. The power sector, though not a final user of energy, is subjected to its own objective in terms of CO₂ emission reduction, such as the EU ETS in the EU.

Railway CO₂ emissions in the various “CO₂ Emissions from fuel combustion by sector” figures presented in this publication (fig. 1, 29, 41, 51, 64, 74, 85, 95 and 108) are an exception to the previous rule, as those figures take into account emissions for the whole railway sector, including electric traction. Accordingly, in those figures, the emissions for railway electric traction have not been counted in the power sector. In all cases except for the EU figures (which come from UIC, 2012b) the emissions from railway electric traction have been estimated from the use of electric power in the railway sector, from which CO₂ emissions have been calculated by using the national production electricity mix (IEA, 2012b), fuel emission factors (IPCC, 2006) and power plant efficiency values (IEA, 2008).

Railway specific energy consumption, as shown in figures 18, 19, 47, 60, 70, 81, 91, 104 and 113, is based on combinations of different data from UIC. Some railway companies provide UIC with their tractive stock total consumption divided by electric/diesel and passenger/freight. These total consumptions combined with pkm and tkm (which are distributed between electric, diesel and coal following repartition of train-km given by UIC) allow the calculation of energy intensity. As total energy consumption is not provided by all companies, specific energy consumption for several countries is an estimation based on intensity in other countries. A second step is the comparison of total energy use calculated in this way with the IEA World Energy Balances database (IEA, 2012b), which allows a calibration of the estimated energy intensity.

As for China (fig. 104) there was no data concerning train-km before 1980, there was no way to allocate pkm and tkm by fuel type, so railway specific energy is drawn only from 1980.

Glossary



Electrified track

Track provided with an overhead catenary or a conductor rail to permit electric traction.

Electrified line

Line with one or more electrified running tracks.

Energy consumption by rail transport

Final energy consumed by tractive vehicles for traction, train services and facilities (heating, air conditioning, lighting etc.).

GO

Guarantees of Origin

Gross tonne-kilometre hauled

Unit of measurement representing the movement over a distance of one kilometre of one tonne of hauled vehicles (and railcars) and contents.

HDV

Heavy Duty Vehicle (gross vehicle weight > 3.5 tonnes)

Passenger-kilometre (pkm)

Unit of measurement representing the transport of one passenger over a distance of one kilometre.

P2W

Powered 2 wheelers

PLDV

Passenger light duty vehicle

REC

Renewable Energy Certificate

Tonne-kilometre (tkm)

Unit of measurement of goods transport which represents the transport of one tonne of goods over a distance of one kilometre.

Tonne of oil equivalent (toe)

Unit of measurement of energy consumption: 1 TOE = 41.868 GJ

Train-kilometre (train-km)

Unit of measurement representing the movement of a train over one kilometre.

Transport Unit (tu)

The sum of passenger kilometre and tonne-kilometre

TTW

Tank to wheel

WTT

Well to tank

WTW

Well to wheel

**References**

CNBS 2012, *China Statistical Yearbook 2012*. China Statistics Press, National Bureau of Statistics of China, Beijing.

EC 2012, *EU transport in figures – Statistical pocketbook 2012*. Publications Office of the European Union, Luxembourg. Internet: <http://ec.europa.eu/transport/publications/statistics/doc/2011/pocketbook2011.pdf>. Accessed 27 February 2012.

EEA 2010, *Occupancy rates of passenger vehicles (TERM 029)*. July 2010. Internet: <http://www.eea.europa.eu/data-and-maps/indicators/occupancy-rates-of-passenger-vehicles/occupancy-rates-of-passenger-vehicles-1>. Accessed July 1, 2013.

ENTSO-E 2011, *Statistical Yearbook 2011*. European Network of Transmission System Operators for Electricity. Brussels, 2011.

EU 2009, *REGULATION (EC) No 443/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 23 April 2009 setting emission performance standards for new passenger cars as part of the Community's integrated approach to reduce CO₂ emissions from light-duty vehicles*. Official Journal of the European Union. Brussels, 2009.

Eurostat 2013, *Eurostat Database, indicator tsdcc30*. Internet: <http://epp.eurostat.ec.europa.eu/tgm/table.do?tab=table&init=1&plugin=1&language=en&pcode=tsdcc30>. Accessed 25 April 2013.

GFEI 2009, *Making Cars 50% More Fuel Efficient by 2050 Worldwide*. Global Fuel Economy Initiative. 2009.

IATA 2009, *Halving Emissions by 2050 - Aviation Brings its Targets to Copenhagen*. Press release, 8 December 2009. Internet: <http://www.iata.org/pressroom/pr/Pages/2009-12-08-01.aspx>. Accessed 25 April 2013.

ICAO 2013, *Forecasts of Scheduled Passenger Traffic – Long-term Traffic and Aircraft Movement Forecasts*. Internet: http://www.icao.int/sustainability/pages/eap_fp_forecast_longterm.aspx. Accessed 7 June 2013.

IEA 2008, *Energy Efficiency Indicators for Public Electricity Production from Fossil Fuels*. International Energy Agency (IEA). Paris, 2008.

IEA 2012a, *CO₂ Emissions from Fuel Combustion*. On-line data service. Internet: <http://data.iea.org/>. Accessed 25 March 2013.

IEA 2012b, *World Energy Balances*. On-line data service. Internet: <http://data.iea.org/>. Accessed 25 March 2013.

IEA 2012c, *Energy Technology Perspectives 2012*. IEA/OECD, Paris.

IEA 2013, *Global Land Transport Infrastructure Requirements*. Estimating road and railway infrastructure capacity and costs to 2050. IEA/OECD, Paris.

IPCC 2006, Eggleston H.S., Buendia L., Miwa K., Ngara T. and Tanabe K. (eds), 2006 IPCC Guidelines for National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme. IGES, Japan, 2006.

ISPRA 2013, *Italian Greenhouse Gas Inventory 1990-2011. National Inventory Report 2013*. Istituto Superiore per la Protezione e la Ricerca Ambientale. Rome, 2013.

JMLIT 2012, *Summary of Transportation Statistics*. Japan Ministry of Land, Infrastructure and Tourism. Internet: http://www.mlit.go.jp/k-toukei/transportation_statistics.html. Accessed 11 February 2013.

JSB 2012, *Japan Statistical Yearbook 2012*. Japan Statistics Bureau, Tokyo.

OECD 2013, *OECD.Stat Extracts*. On-line data service. Internet: <http://stats.oecd.org/>. Accessed 15 March 2013.

Rosstat 2013, *Russia in figures*. Russian Federal Statistics Service. Internet: http://www.gks.ru/wps/wcm/connect/rosstat_main/rosstat/en/figures/transport/. Accessed 20 January 2013.

Susdef 2012, *Genoa-Rotterdam: a Sustainable Corridor*. Fondazione Sviluppo Sostenibile. Rome, 2013.

Susdef 2013, *La riduzione della CO₂ nel settore trasporti*. Fondazione Sviluppo Sostenibile, Ministero dell'Ambiente. Rome, 2013.

Terna 2013, *Dati Statistici sull'Energia Elettrica in Italia - 2012*. Gruppo Terna. Rome, 2013.

UIC 2012a, *International Railway Statistics 2012*, Statistics Centre of the International Union of Railways, Paris. Terna 2013, *Dati Statistici sull'Energia Elettrica in Italia - 2012*. Gruppo Terna. Rome, 2013.

UIC 2012b, *UIC Energy and CO₂ Database 2012*. International Union of Railways, Paris.

UIC 2013a, *High Speed Lines in the World*. International Union of Railways, Paris.

UIC 2013b, Survey conducted on electricity mix among UIC members' energy managers.

UIC/CER 2010, *Moving towards Sustainable Mobility: European Rail Sector Strategy 2030 and beyond*. International Union of Railways / Community of European Railways. Paris, 2010.

This report is the result of a collaborative effort between the International Energy Agency (IEA) and the International Union of Railways (UIC). Users of this report shall take their own independent business decisions at their own risk and, in particular, without undue reliance on this report. Nothing in this report shall constitute professional advice, and no representation or warranty, express or implied, is made in respect to the completeness or accuracy of the contents of this report. Neither the IEA nor the UIC accepts any liability whatsoever for any direct or indirect damages resulting from any use of this report or its contents. A wide range of experts reviewed drafts. However, the views expressed do not necessarily represent the views or policy of either the UIC, or its member companies, or of the IEA, or its individual Member countries.

Copyright © 2013
the OECD/International Energy Agency and
the International Union of Railways





International
Energy Agency

9, rue de la Fédération
75739 Paris Cedex 15 FRANCE
www.iea.org



INTERNATIONAL UNION
OF RAILWAYS

16, rue Jean Rey
F-75015 Paris FRANCE
www.uic.org

with the technical support of



This publication can be downloaded at:
<http://www.uic.org/>